This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
- Number	31	(((web internet wan www) near5 (server page site prox\$4) same (track\$4 monitor\$4) same (user client member subscriber computer))) and ((database table list\$4) same (address\$4 near3 (ip ipx (internet adj protocol))) same (user	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 17:53
-	30	client member subscriber computer)) and ((database table list\$4) same tim\$4) and (tim\$4 same (sync\$4 synchron\$7) same (server global internet web)) (((web internet wan www) near5 (server page site prox\$4) same (track\$4 monitor\$4) same (user client member subscriber computer))) and ((database table list\$4) same (address\$4 near3 (ip ipx (internet adj protocol))) same (user	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 15:43
-	18	client member subscriber computer)) and ((database table list\$4) near11 (tim\$4 timestamp\$4 time-stamp\$4)) and ((tim\$4 timestamp\$4 time-stamp\$4) same (sync\$4 synchron\$7) same (server global internet web)) (((web internet wan www) near5 (server page site prox\$4) same (track\$4 monitor\$4) same (user client member subscriber computer))) and ((database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 16:59
		(user client member subscriber computer))	k	
-	160	and ((database table list\$4) near11 (tim\$4 timestamp\$4 time-stamp\$4)) and ((tim\$4 timestamp\$4 time-stamp\$4) near11 (sync\$4 synchron\$7)) ((web internet wan www) near5 (server page site prox\$4)) and ((track\$4 monitor\$4) same (user client member subscriber computer)) and ((database	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 17:11
	136	table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) ((web internet wan www) near5 (server page site prox\$4)) and ((track\$4 monitor\$4) near11 (user client member subscriber computer)) and ((database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 17:19
		<pre>ipx (internet adj protocol))) near11</pre>		

_	10	((web internet wan www) near5 (server	USPAT;	2003/08/12
		page site prox\$4)) and ((track\$4	EPO; JPO;	17:20
		monitor\$4) near11 (user client member	DERWENT;	
		<pre>subscriber computer)) and ((database table list\$4) near11 (address\$4 near3 (ip</pre>	IBM_TDB	1
		ipx (internet adj protocol))) near11		
		(user client member subscriber computer))		
		and ((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) and		
		((tim\$4 timestamp\$4 time-stamp\$4) near11		
		(sync\$4 synchron\$7)) not ((((web internet		
		wan www) near5 (server page site prox\$4)		į
		<pre>same (track\$4 monitor\$4) same (user</pre>		
		client member subscriber computer))) and		
		((database table list\$4) same (address\$4		
		near3 (ip ipx (internet adj protocol))) same (user client member subscriber		
		computer)) and ((database table list\$4)		1
		nearl1 (tim\$4 timestamp\$4 time-stamp\$4))		
		and ((tim\$4 timestamp\$4 time-stamp\$4)		
		same (sync\$4 synchron\$7) same (server		
		global internet web)))		
-	114	((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4)) and ((track\$4	EPO; JPO;	09:15
		monitor\$4) nearl1 (user client member	DERWENT;	
		subscriber computer)) and ((database	IBM_TDB	
		table list\$4) near11 (address\$4 near3 (ip		
		<pre>ipx (internet adj protocol))) near11 (user client member subscriber computer))</pre>		
		and ((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) not		
		((((web internet wan www) near5 (server		
		page site prox\$4) same (track\$4		
		monitor\$4) same (user client member		
		subscriber computer))) and ((database		
		table list\$4) same (address\$4 near3 (ip		
		ipx (internet adj protocol))) same (user		
1		client member subscriber computer)) and		
		((database table list\$4) near11 (tim\$4 timestamp\$4 time-stamp\$4)) and ((tim\$4		
		timestamp\$4 time-stamp\$4) and ((tim\$4 timestamp\$4 time-stamp\$4) same (sync\$4		
		synchron\$7) same (server global internet		
		web)))		
_	42	((web internet wan www) near5 (server	USPAT;	2003/08/12
	1	page site prox\$4)) and ((track\$4	EPO; JPO;	17:55
.		monitor\$4) near11 (user client member	DERWENT;	
		subscriber computer)) and ((database)	IBM_TDB	
		near11 (address\$4 near3 (ip ipx (internet		
	1	adj protocol))) near11 (user client		
		member subscriber computer)) and ((database field) near11 (tim\$4		
		timestamp\$4 time-stamp\$4)) not (((web		
		internet wan www) near5 (server page site		
		prox\$4) same (track\$4 monitor\$4) same		
		(user client member subscriber		
		computer))) and ((database table list\$4)		
		same (address\$4 near3 (ip ipx (internet		
		adj protocol))) same (user client member		
1		subscriber computer)) and ((database		,
		table list\$4) near11 (tim\$4 timestamp\$4		
		time-stamp\$4)) and ((tim\$4 timestamp\$4 time-stamp\$4) same (sync\$4 synchron\$7)		
1	+	same (server global internet web)))		
_	109		USPAT;	2003/08/13
		page site prox\$4)) and ((database table	EPO; JPO;	12:53
		list\$4) near11 (address\$4 near3 (ip ipx	DERWENT;	
		(internet adj protocol))) near11 (user	IBM_TDB	
	1	client member subscriber computer)) and		
		((database table list\$4 field) near11		
	1	(tim\$4 timestamp\$4 time-stamp\$4)) not		
		<pre>((track\$4 monitor\$4) near11 (user client member subscriber computer))</pre>		
		wewmer amacrimer combacer))	1	

			_	
_	34	<pre>((web internet wan www) near11 (server page site prox\$4)) and (server near11 (database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 12:52
	79	<pre>(((web internet wan www) near5 (server page site prox\$4)) and ((database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))) not (((web internet wan www) near11 (server page site prox\$4)) and (server near11 (database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 12:57
	78	((web internet wan www) near5 (server page site prox\$4)) and ((database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4) near11 server) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 12:55
	48	((web internet wan www) near5 (server page site prox\$4)) and ((database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4) near11 server) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))) not (((web internet wan www) near11 (server page site prox\$4)) and (server near11 (database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 12:57
-	26	• • · · · · · · · · · · · · · · · · ·	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 14:24
_	161		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 15:31

_	58	((((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4) same ((track\$4	EPO; JPO;	15:37
		monitor\$4) near7 (user client member	DERWENT;	
		subscriber computer)) near6 (activ\$7	IBM_TDB	
		browsing)))) and ((compar\$6 match\$4)		
		near7 (user address\$4 client member		
		subscriber computer))		
-	11	,	USPAT;	2003/08/13
		page site prox\$4) same ((track\$4	EPO; JPO;	15:37
		monitor\$4) near7 (user client member	DERWENT;	
		subscriber computer)) near6 (activ\$7	IBM_TDB	
		browsing)))) and ((compar\$6 match\$4)		
	7.5	near7 address\$4)		
-	75	(((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4) same (track\$4	EPO; JPO;	17:22
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) same (ip ipx (internet adj		
		protocol)) same (user client member		
		subscriber computer)) and ((database		
		table list\$4) same tim\$4) and (tim\$4 same		
		(sync\$4 synchron\$7) same (server global		
		internet web))		0000/65/55
-	55	((((web internet wan www) near5 (server	USPAT	2003/08/13
		page site prox\$4) same (track\$4		17:26
		monitor\$4) same (user client member		
		subscriber computer))) and ((database		
İ		table list\$4) same (ip ipx (internet adj		
		protocol)) same (user client member		
		subscriber computer)) and ((database		
		table list\$4) same tim\$4) and (tim\$4 same		v + ++
		(sync\$4 synchron\$7) same (server global		
		internet web))) and ((match\$4 compar\$7)		
	1	near11 (user client member subscriber		·
	0.5	computer address\$4))		
_	26	1 ((())	USPAT;	2003/08/13
	,	page site prox\$4) same (track\$4	EPO; JPO;	17:47
}		monitor\$4) same (user client member	DERWENT;	· ·
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) near11 (address\$4 ip ipx		· · · · · · · · · · · · · · · · · · ·
		(internet adj protocol)) near11 (user		
		client member subscriber computer)) and		
		((database table list\$4) near11 tim\$4)		
		and (tim\$4 near11 (sync\$4 synchron\$7)		
	1 1 1	near11 (server global internet web))	нараш	2002/00/22
-	11	((web internet wan www) near11 (track\$4 .	USPAT;	2003/08/13
	1	monitor\$4) near11 (user client member	EPO; JPO;	17:45
	1	subscriber computer) near6 (activ\$7	DERWENT;	
	1	browsing)) and ((compar\$6 match\$4) near7 (user client subscriber member profil\$4	IBM_TDB	
-		',		
		address\$4)) and (tim\$4 same (sync\$4 synchron\$7) same (server global internet		
		web))		
_	16	((((web internet wan www) near11 (server	USPAT;	2003/08/13
i	""	page site prox\$4) same (track\$4	EPO; JPO;	17:59
		monitor\$4) same (user client member	DERWENT;	11.33
		subscriber computer))) and ((database	IBM TDB	
		table list\$4) same (address\$4 near3 (ip	1DH_1DD	
		ipx (internet adj protocol))) same (user		
		client member subscriber computer)) and		
		((database table list\$4) same tim\$4)) and		
		((tim\$4 same (sync\$4 synchron\$7) same		
		(server global internet web)) and		
		((compar\$6 match\$4) near7 (user field		
		client subscriber member profil\$4		
		address\$4)))		
L	<u> </u>	1	1-7-14	L

_	227	(((web internet wan www) near11 (server	USPAT;	2003/08/14
		page site prox\$4) same (track\$4 monitor\$4) same (user client member	EPO; JPO;	10:27
		subscriber computer))) and ((database	DERWENT;	
		table list\$4) same (address\$4 near3 (ip	IBM_TDB	
		ipx (internet adj protocol))) same (user		
		client member subscriber computer)) and		
		((database table list\$4) same tim\$4)		
_	13	((((web internet wan www) near11 (server	USPAT;	2003/08/14
		page site prox\$4) same (track\$4	EPO; JPO;	10:31
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM TDB	
		table list\$4) same (address\$4 near3 (ip	_	
		<pre>ipx (internet adj protocol))) same (user</pre>		
		client member subscriber computer)) and		1
		((database table list\$4) same tim\$4)) and		
		(((match\$4 find\$4 compar\$6) near11		
		(database table list) near11 (user client		
		member subscriber)) and ((add addition		
		adding added) nearl1 (new distinct)		
		near11 (user client member subscriber))		
	100	and (tim\$4 timestamp\$4 time-stamp\$4))	110000.	2002/00/14
-	106	((match\$4 compar\$6) near11 database	USPAT;	2003/08/14
		near11 (user client member subscriber)) and ((add addition adding added) near11	EPO; JPO; DERWENT;	09:29
1		and ((add addition adding added) hearif (new\$2 distinct\$4) near11 (user client	IBM TDB	
		member subscriber)) and ((match\$4	I TDIJ T T D D	
		compar\$6) near11 (tim\$4 timestamp\$4		
		time-stamp\$4))		
_	15	((match\$4 compar\$6) near11 database	USPAT;	2003/08/14
		nearl1 (user client member subscriber))	EPO; JPO;	09:21
		and ((add addition adding added) near11	DERWENT;	
		(new\$2 distinct\$4) near11 (user client	IBM TDB	
	-	member subscriber)) and ((match\$4	_	
		compar\$6) near11 (tim\$4 timestamp\$4		
		time-stamp\$4)) and ((sync\$4 synchroniz\$6		
		globl\$4) near6 (clock tim\$4))		
_	37	(database same ((match\$4 compar\$6) near11	USPAT;	2003/08/14
		(user client member subscriber))) and	EPO; JPO;	10:31
		((add addition adding added) near11 (user	DERWENT;	
		client member subscriber)) and ((match\$4	IBM_TDB	
		compar\$6) near11 ((tim\$4 adj stamp\$5)		
		timestamp\$4 time-stamp\$4))		2002/00/14
-	4	((((track\$4 monitor\$4) near8 (user client	USPAT;	2003/08/14
		member subscriber computer)) and	EPO; JPO;	10:35
		((database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj	DERWENT; IBM TDB	
		(address\$4 hears (ip ipx (internet adj protocol)))) and ((database table list\$4)	TDF1_1DB	
		near7 (tim\$4 timestamp\$4))) and ((match\$4)		
		compar\$6) near11 (address\$4 user client		
		member subscriber)) and ((add addition		
		adding added new\$3) near11 (address\$4		
		user client member subscriber)) and		
		((match\$4 compar\$6) near9 (tim\$4		
		timestamp\$4 time-stamp\$4))) and		
		709/224.ccls.		
-	37		USPAT;	2003/08/14
		member subscriber computer)) and	EPO; JPO;	10:49
		((database table list\$4) near11	DERWENT;	
		(address\$4 near3 (ip ipx (internet adj	IBM_TDB	
		protocol)))) and ((database table list\$4)		
		near7 (tim\$4 timestamp\$4))) and		
		709/224.ccls.	IICDAM.	2002/00/14
-	89	((web internet wan www) same (track\$4 monitor\$4) near8 (user client member	USPAT; EPO; JPO;	2003/08/14
		subscriber computer) and ((database	DERWENT;	10.40
		table list\$4) near11 (address\$4 near3 (ip	IBM TDB	
		ipx (internet adj protocol)))) and	100-100	
		((database table list\$4) near7 (tim\$4		
		timestamp\$4))		
		1	 	·

-	17	(((web internet wan www) same (track\$4	USPAT;	2003/08/14
		monitor\$4) near8 (user client member	EPO; JPO;	10:49
		subscriber computer)) and ((database	DERWENT;	
		table list\$4) near11 (address\$4 near3 (ip	IBM TDB	
		cable listyl mealif (addlessyl meals (ip	TEM_IDE	
		<pre>ipx (internet adj protocol)))) and</pre>		
		((database table list\$4) near7 (tim\$4		
		timestamp\$4))) and ((match\$4 compar\$6)		·
		near11 (address\$4 user client member		
		subscriber)) and ((add addition adding		•
		added new\$3) near11 (address\$4 user		
		client member subscriber)) and ((match\$4		
		compar\$6) near9 (tim\$4 timestamp\$4		
		time-stamp\$4))		
	50	(((web internet wan www) same (track\$4	USPAT;	2003/08/14
]			
		monitor\$4) near8 (user client member	EPO; JPO;	10:59
		subscriber computer)) and ((database	DERWENT;	1
		table list\$4) near11 (address\$4 near3 (ip	IBM TDB	
		<pre>ipx (internet adj protocol)))) and</pre>	_	
		((database table list\$4) near7 (tim\$4		
·				
		timestamp\$4))) and 709/\$.ccls.		1
	253	((tim\$4 timestamp\$4 gmt) with (database	USPAT	2004/01/29
		tabl\$4 list\$4 sav\$4 stor\$6)) same		11:38
		(((tim\$4 timestamp\$4 gmt) with (compar\$6		.
		match\$4 synch\$6 synchronization)) same		
	1	(new\$4 with (user client member		
		subscriber recipient)))		
	215		USPAT	2004/01/29
		tabl\$4 list\$4 sav\$4 stor\$6)) same		11:39
				11:39
		(((tim\$4 timestamp\$4 gmt) with (compar\$6		
		match\$4)) same (new\$4 with (user client		
		member subscriber recipient)))		
	22		USPAT	2004/01/29
		timestamp\$4 gmt) with (database tabl\$4	OSIAI	11:45
				11:45
		list\$4 sav\$4 stor\$6)) same (((tim\$4		
		timestamp\$4 gmt) with (compar\$6 match\$4		
)) same (new\$4 with (user client member		
		subscriber recipient)))		
	116		USPAT	2004/01/29
	110		USPAI	
		timestamp\$4 gmt) with (database tabl\$4		16:15
		list\$4 sav\$4 stor\$6)) same (((tim\$4		
		timestamp\$4 gmt) with (compar\$6 match\$4		
	1)) same (new\$4 with (user client member	*	
		1 ' '		
		subscriber recipient)))	1	
	29		USPAT	2004/01/29
	1	((database tabl\$4 list\$4 server prox\$4)		16:49
		with request\$4 with (tim\$4 timestamp\$4		
		gmt)) and (((tim\$4 timestamp\$4 gmt) with		
			ļ	
		(compar\$6 match\$4)) same (new\$4 near3		
		(user client member subscriber		
		recipient)))	1	
	2	1 - ' ' '	USPAT	2004/01/29
	-	and (((tim\$4 timestamp\$4 qmt) with		16:53
				10:33
		(compar\$6 match\$4)) same (new\$4 near3		
		(user client member subscriber		
		recipient)))		
	1 10		USPAT	2004/02/02
	1	and (((tim\$4 timestamp\$4 gmt) with		I ' '
				09:41
		(compar\$6 match\$4)) same (user client		1
		member subscriber recipient) same		
	1	browser)		
	11	·	USPAT	2004/02/02
	1		"""	
	1	(((tim\$4 timestamp\$4 gmt) with (compar\$6		09:49
		match\$4) with (database tabl\$4 list\$4))		
		same (user client member subscriber	1	
		recipient) same browser)) not (((internet		
		web site page www) with hit) and (((tim\$4		
		timestamp\$4 gmt) with (compar\$6 match\$4		
)) same (user client member subscriber		
		recipient) same browser))	İ	

-	14	<pre>(internet web site page www) and (((tim\$4 timestamp\$4 gmt) with (compar\$6 match\$4) with (database tabl\$4 list\$4)) same (user client member subscriber recipient) same browser) and (time\$4 dat\$4)</pre>	USPAT	2004/02/02 10:05
-	16	(internet web site page www) and (((tim\$4 timestamp\$4 gmt date) with (compar\$6 match\$4) with (database tabl\$4 list\$4)) same (user client member subscriber recipient) same browser) and (tim\$4 dat\$4 timestamp\$4 gmt)	USPAT	2004/02/02 10:06
-	78	<pre>(internet web site page www) and (((tim\$4 timestamp\$4 gmt) with (compar\$6 match\$4)) same (user client member subscriber recipient) same browser) and ((tim\$4 timestamp\$4 gmt) with (user client member subscriber recipient))</pre>	USPAT	2004/02/02 14:25
-	34	(internet web site page www) and (((tim\$4 timestamp\$4 gmt) with (compar\$6 match\$4)) same (user client member subscriber recipient) same browser) and ((tim\$4 timestamp\$4 gmt) with (user client member subscriber recipient) with (send\$4 forward\$4 transfer\$6 transmi\$6))	USPAT	2004/02/02 14:26
-	78	709/\$.ccls. and (davis judson).in. and (tim\$4 timestamp\$4 gmt date)	USPAT	2004/02/02 11:57
_	2	709/\$.ccls. and (judson).in. and (tim\$4 timestamp\$4 gmt date)	USPAT	2004/02/02
-	13	709/223,224.ccls. and (davis judson).in. and (tim\$4 timestamp\$4 gmt date)	USPAT	2004/02/02
	3	709/223,224.ccls. and (davis judson).in. and ((tim\$4 timestamp\$4 gmt date) with	USPAT	2004/08/10
-	37	(compar\$6 match\$4))	USPAT	2004/08/10 17:43
_	19	recipient) same browser) and ((tim\$4 timestamp\$4 gmt) with (user client member subscriber recipient)) and 709/\$.ccls. (internet web site page www) and (((tim\$4 timestamp\$4 gmt) with (compar\$6 match\$4)) same (user client member subscriber recipient) same browser) and ((tim\$4 timestamp\$4 gmt) with (user client member subscriber recipient) with (send\$4	USPAT	2004/08/10 17:43
	26	forward\$4 transfer\$6 transmi\$6)) and 709/\$.ccls. 709/223,224.ccls. and ((tim\$4 timestamp\$4 gmt) with (user member subscriber client recipient)) and ((tim\$4 timestamp\$4 gmt) with (match\$4 compar\$6) same (age aging frequen\$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:43